

“Remote Sensing of the Impact of Waves on Sea Ice”

Benjamin Holt
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive, Mail Stop 300-323
Pasadena, CA 91109
phone: (818) 354-5473 fax: (818) 393-6720 email: Benjamin.M.Holt@jpl.nasa.gov

IPR Award Number: N0001413IP20050
DRI Web Site: http://www.apl.washington.edu/project/project.php?id=arctic_sea_state

LONG-TERM GOALS

The goals of this effort are to observe the impact of waves on the sea ice cover using remote sensing and to provide analyzed results will be provided to coupled ocean-ice modeling efforts for evaluation and potential incorporation as parameters for model validation and improvement, in support of the Office of Naval Research Arctic and Global Prediction Program.

OBJECTIVES

The objective of this effort is to determine the sea ice morphology and floe size distribution of ice that has been impacted from incoming ocean waves, using remote sensing data sets. These analyzed fields will be provided to coupled ocean-ice modeling efforts for evaluation and potential incorporation as parameters for model validation and improvement. This will be done using remote sensing data acquired during the planned Arctic Sea State field campaign, which will take place in the fall 2015 in support of The Office of Naval Research Department Research Initiative (DRI) titled “Sea State and Boundary Layer Physics of the Emerging Arctic Ocean”.

APPROACH

The approach of this effort is to utilize multiple remote sensing data sets to quantify the impact of waves on the sea ice cover of the Arctic Ocean. The NASA/JPL efforts are intended to closely align with modeling efforts to seek the optimum and most reliable methods to quantify the impacted sea ice cover and produce analyzed fields for comparison with coupled waves-in-ice models for sensitivity testing and potential improvement of the ice parameters that go into the models.

The key sea ice parameters of interest are floe size distribution and ice morphology, the latter of which essentially specifies the distribution of ridges and cracks along with thickness or a proxy such as ice type. Based on previous and current efforts, these sea ice parameters are best measured with fine-resolution (less than 100 m) remote sensing data to capture the full range of feature scales of these ice parameters. The primary data to be utilized will be from SAR and optical sensors flown on both satellite and aircraft platforms.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2013		2. REPORT TYPE		3. DATES COVERED 00-00-2013 to 00-00-2013	
4. TITLE AND SUBTITLE Remote Sensing of the Impact of Waves on Sea Ice				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) California Institute of Technology, Jet Propulsion Laboratory, 4800 Oak Grove Drive, Mail Stop 300-323, Pasadena, CA, 91109				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

In the first two years of the effort, NASA/JPL will analyze older data sets as well as more recent data collections, as a means to develop the floe size algorithm as well as to work with data sets similar to the ones that will be collected during the field campaign. The field campaign will take place in the third year of the effort and the last two years will focus on data analysis from the field campaign and comparisons and possible parameterization into the wave-ice models.

NASA/JPL will be working closely with Vernon Squire, University of Otago, and Hayley Shen, Clarkson University, along with other members of the Sea State DRI science team.

WORK COMPLETED

NASA/JPL have attended and participated in the initial Sea State DRI meeting in San Francisco, December 6, 2012, and the second meeting in San Diego, February 26-27, 2013. Also NASA/JPL provided input to the “Sea State and Boundary Layer Physics of the Emerging Arctic Ocean Science Plan”, which was published in September 2013 (Thomson et al., 2013). This input described the floe size and morphology measurements to be made and the suite of sensors to be acquired and analyzed during the Sea State field campaign, including from SAR and fine-resolution optical satellite imagery including from the National Reconnaissance Office and NASA sensors such as ASTER and Landsat.

The NASA/JPL initial effort has focused on re-establishing the floe size algorithm that was developed in previous efforts (Soh et al., 1998; Holt and Martin, 2001) to new sets of data, of the type that will be utilized in the 2015 field campaign. NASA/JPL has identified available but not-yet-analyzed fine resolution optical aircraft imagery obtained during the Labrador Margin Experiment in 1987, where a significant wave event took place that significantly altered the ice cover (Carsey et al., 1989; Liu et al., 1991). Both sea ice and wave information were obtained during this experiment. The imagery from one flight is available and has been scanned from large-format photographs to a suitable digital format and resolution. Efforts are being made now to track down additional flight imagery from earlier flights, which were obtained before the wave event.

NASA/JPL has been approved as a Japanese Space Agency ALOS-2 investigator, which will enable requests to be submitted to obtain ALOS-2 L-band polarimetric SAR imagery during the Sea State 2015 field campaign. While TerraSAR-X imagery are planned to be routinely acquired, the addition of ALOS-2 data will enable additional temporal coverage and the longer wavelength SAR will prove beneficial for the detection of both waves and young sea ice types due to its reduced sensitivity to wind compared to X-band.

RESULTS

There are no significant results to report at this time.

IMPACT/APPLICATIONS

The primary value of this effort will be to provide a series of floe size distributions and sea ice morphology resulting from the impact of incoming waves into the ice cover. These measurements will then be used for both parameterizations as well as validation of the wave-ice models, to assess the impact of waves particularly on sea ice melt rates as well as to enable short-term predictive capability.

RELATED PROJECTS

There are currently no related projects.

REFERENCES

- Carsey, F. D., S. Digby-Argus, M. Collins, B. Holt, C. Livingstone, and C. Tang, Overview of LIMEX '87 ice observations, IEEE J. Geoscience and Remote Sensing, 27, pp. 468-482, 1989.
- Holt, B., and S. Martin, The effect of a storm on the 1992 summer sea ice cover of the Beaufort, Chukchi, and East Siberian Seas, J. Geophysical Research, 106 (C1), 1017-1032, 2001.
- Liu, A. K., B. Holt, and P. Vachon, Wave propagation in the marginal ice zone: Model predictions and comparisons with buoy and synthetic aperture radar data, J. Geophysical Research, 96(C3), pp. 4605-4621, 1991.
- Soh, L.-K., B. Holt, and C. Tsatsoulis, Identifying ice floes and computing ice floe distributions in SAR images, in C. Tsatsoulis and R. Kwok (eds), Analysis of SAR Data of the Polar Oceans, Springer- Verlag, NY, 9-34, 1998.
- Thomson, J., V. Squire, S. Ackley, E. Rogers, A. Babanin, P. Guest, T. Maksym, P. Wadhams, S. Stammerjohn, C. Fairall, O. Persson, M. Doble, H. Graber, H. Shen, J. Gemmrich, S. Lehner, B. Holt, T. Williams, M. Meylan, and J. Bidlot, *Sea State and Boundary Layer Physics of the Emerging Arctic Ocean*, Technical Report AP-UW 1306, Applied Physics Laboratory, University of Washington, Seattle, WA, 2013.